



	Potencia			aumento			P.V.P iva no incl.
	kw	cv		kw	cv	nm	
<b>Modell</b>							
MAN F 2000 Evo x.314	228	310	1400	35	48	150	consulta
MAN F 2000 Evo x.364	265	360	1600	42	57	160	consulta
MAN F 2000 Evo x.414	301	409	1850	46	63	190	consulta
MAN F 2000 Evo x.464	338	460	2100	50	68	200	consulta
MAN F 2000 Evo x.603	441	600	2700	60	82	280	consulta

<b>Modell</b>							
MAN L 2000	83	113	490	21	29	65	consulta
MAN L 2000	114	155	580	26	35	65	consulta
MAN L 2000	162	220	825	30	41	85	consulta

<b>Modell</b>							
MAN LE 2000	110	150	540	26	35	65	consulta
MAN LE 2000	132	180	650	28	38	70	consulta
MAN LE 2000	162	220	850	30	41	85	consulta
MAN LE 2000	180	245	975	30	41	85	consulta
MAN LE 2000	206	280	1100	32	44	120	consulta

<b>Modell</b>							
MAN M 2000	162	220	825	30	41	85	consulta
MAN M 2000	191	260	1000	29	39	80	consulta
MAN M 2000 EVO x.284	206	280	1100	32	44	120	consulta
MAN M 2000 EVO x.314	228	310	1400	35	48	150	consulta
MAN M 2000 EVO x.364	265	360	1600	42	57	160	consulta

<b>Modell</b>							
MAN ME 2000 4.6L 4 cyl	110	150	540	26	35	65	consulta
MAN ME 2000 4.6L 4 cyl	132	180	650	28	38	70	consulta
MAN ME 2000 6.9L 6 cyl	162	220	850	30	41	85	consulta
MAN ME 2000 6.9L 6 cyl	180	245	975	30	41	85	consulta
MAN ME 2000 6.9L 6 cyl	206	280	1100	32	44	120	consulta



### Modell

MAN TG 18.413 x	301	409		46	63	190	consulta
MAN TG 310 A	228	310	1500	35	48	150	consulta
MAN TG 360 A	265	360	1700	42	57	160	consulta
MAN TG 510 A	375	510	2300	56	76	240	consulta

### Modell

MAN TGA 6.9L	228	310	1550	35	48	150	consulta
MAN TGA 6.9L	265	360	1700	42	57	160	consulta
MAN TGA 10.5L	316	430	2100	47	64	210	consulta
MAN TGA 12.8L	353	480	2300	52	71	220	consulta
MAN TGA 12.8L	390	530	2400	58	79	260	consulta
MAN TGA 12.8L	485	660	2700	64	87	310	consulta
MAN TGA 12L	301	409	1850	46	63	190	consulta
MAN TGA 12L	338	460	2100	50	68	200	consulta

### Modell

MAN TGL 10.180	132	180	700	28	38	70	consulta
MAN TGL 10.220	162	220	850	30	41	85	consulta
MAN TGL 10.250	184	250	1000	30	41	85	consulta
MAN TGL 8.150	110	150	540	26	35	65	consulta
MAN TGL 8.180	132	180	700	28	38	70	consulta
MAN TGL 8.220	162	220	850	30	41	85	consulta
MAN TGL 8.250	184	250	1000	30	41	85	consulta



### Modell

MAN TGM 13.250	184	250	1000	30	41	85	consulta
MAN TGM 13.290	213	290	1150	32	44	120	consulta
MAN TGM 15.250	184	250	1000	30	41	85	consulta
MAN TGM 15.290	213	290	1150	32	44	120	consulta
MAN TGM 18.250	184	250	1000	30	41	85	consulta
MAN TGM 18.290	213	290	1150	32	44	120	consulta
MAN TGM 18.340	250	340	1205	42	57	160	consulta
MAN TGM 26.250	184	250	1000	30	41	85	consulta
MAN TGM 26.340	250	340	1250	42	57	160	consulta

### Modell

MAN TGS 10,5 L R6 Euro 4	324	441	2100	50	68	200	consulta
MAN TGS 10,5 L R6 Euro 4	359	488	2300	52	71	220	consulta
MAN TGS 10,5 L R6 Euro 4/	235	320	1600	35	48	150	consulta
MAN TGS 10,5 L R6 Euro 4/	265	360	1800	42	57	160	consulta
MAN TGS 10,5 L R6 Euro 4/	294	400	1900	46	63	190	consulta
MAN TGS 12,4 L R6 Euro 5	235	320	1600	35	48	150	consulta
MAN TGS 12,4 L R6 Euro 5	265	360	1800	42	57	160	consulta
MAN TGS 12,4 L R6 Euro 5	294	400	1900	46	63	190	consulta
MAN TGS 12,4 L R6 Euro 5	324	441	2100	50	68	200	consulta
MAN TGS 12,4 L R6 Euro 5	353	480	2300	52	71	220	consulta
MAN TGS 12,4 L R6 Euro 5	397	540	2500	58	79	260	consulta



### Modell

MAN TGX 10,5 L R6 Euro 4	265	360	1800	42	57	160	consulta
MAN TGX 10,5 L R6 Euro 4	294	400	1900	46	63	190	consulta
MAN TGX 10,5 L R6 Euro 4	324	441	2100	50	68	200	consulta
MAN TGX 10,5 L R6 Euro 4	353	480	2300	52	71	220	consulta
MAN TGX 12,4 L R6	324	441	2100	50	68	200	consulta
MAN TGX 12,4 L R6 Euro 5	265	360	1800	42	57	160	consulta
MAN TGX 12,4 L R6 Euro 5	294	400	1900	46	63	190	consulta
MAN TGX 16,2 L V8 Euro 5	265	360	1800	42	57	160	consulta
MAN TGX 16,2 L V8 Euro 5	294	400	1900	46	63	190	consulta
MAN TGX 16,2 L V8 Euro 5	324	441	2100	60	82	290	consulta
MAN TGX 16,2 L V8 Euro 5	353	480	2300	52	71	220	consulta
MAN TGX 16,2 L V8 Euro 5	397	540	2500	58	79	260	consulta
MAN TGX 16,2 L V8 Euro 5	500	680	2700	64	87	310	consulta
MAN TGX 16,2 L V8 Euro 5	500	680	3000	64	87	310	consulta

### Modell

MAN x.152	110	150	26	35	65	consulta
MAN x.153	114	155	26	35	65	consulta
MAN x.160	114	155	26	35	65	consulta
MAN x.163	114	155	26	35	65	consulta
MAN x.170	125	170	28	38	70	consulta
MAN x.192	137	186	28	38	70	consulta
MAN x.224	162	220	30	41	85	consulta
MAN x.232	169	230	30	41	85	consulta
MAN x.244	162	220	30	41	85	consulta
MAN x.250	180	245	30	41	85	consulta
MAN x.264	191	260	30	41	85	consulta
MAN x.272	198	269	32	44	120	consulta
MAN x.292	213	290	32	44	120	consulta
MAN x.302	220	299	32	44	120	consulta
MAN x.403	294	400	46	63	190	consulta
MAN x.464	338	460	50	68	200	consulta